

Some problems in calculating...

21975  
S/194/61/000/004/007/052  
D249/D302

CH

values of static primary errors should not be used in dynamic accuracy calculations. The static accuracy of computers for determining the polar from rectangular coordinates is examined. 2 figures. 1 table. [Abstractor's note: Complete translation.]

Card 2/2

KOVANSKIY, K.Ye., inzh.; GOLINEIN, S.L., WOLYNSKIY, M.M.

Special features in the construction of a thrust bearing  
with swaying mounts and experience in its operation.

Toploenergetika 11 no. 5: 462-462 My'84. (MIRA 17:5)

1. Glavnoye upravleniye po mekhanizatsii stroitel'stva  
Gosudarstvennogo proizvodstvennogo komiteta po energetike i  
elektrifikatsii SSSR.

BOGDANSKI, Kazimierz; GOLINOWSKI, Wladyslaw, BOGACINSKI, Boguslaw; PAJCH,  
Wiktor, Janusz; NIEWIADOMSKA, Katarzyna; LINDOWSKI, Jan, STESLICKA,  
Wanda

Scientific papers abstracted. Kosmos biol 13 no.5:533-549 '64.

6 of 10

Effects of inoculation of non-legumes with *Azotobacter* on crop yields. J. Golinski (Roczn. Nauk Rol., 1934, 63, A, 613-626).  
Inoculation of soil with *Azotobacter* improved the early growth of tomato, cabbage varieties, and celery, but the final yields were unaffected. A. G. POLLARD.

SECRET

1. The following information was obtained from a source who has provided reliable information in the past.

CHEMIE

1. The following information was obtained from a source who has provided reliable information in the past.

2. The following information was obtained from a source who has provided reliable information in the past.

GOLINSKAYA, Ye.L. [Holyns'ka, I.E.L.]

Effect of hybridization on the productivity of sakhorka. Nauk. zap.  
Kyiv. un. 16 no.20:121-125 '57 (MLA 13:3)  
(Tobacco breeding)

GOLINSKAYA, Ye.L. [Golynskaya, Ye.L.]

Physiological and biochemical characteristics of the digestive  
apparatus of corn. Vopr. Ryb. Sel. 1964, 11, 11.  
09-04-196.

(COPIES MISSING)

GOLINSKAYA, Ye.L. [Holyns'ka, Ye.L.]; STETSSENKO, N.M.

Physiological and biochemical characteristics of parental and  
hybrid forms of corn. Visnyk Kyiv.un., no. 6. Ser. Biol. n. 1.  
36-43 '62. (U.S.S.R. 1962)

(HYBRID CORN)



GOLINSKI, Jan; JANOWSKI, Janusz; LESNIAK, Józef; SALWIŃSKI, Andrzej; WINKOWSKI, Józef


Digital computer program for structural analysis of a statically indeterminate bridge. Archiw inż. 9 no. 4: 419-445 '63.

1. Instytut Maszyn Matematycznych, Polska Akademia Nauk, Warszawa (for Golinski, Janowski, Salwicki, Winkowski).
2. Centralny Ośrodek Badania i Rozwoju Techniki Kolejnictwa, Warszawa (for Lesniak).

625.314.222 : 621.317.22.019.33  
✓ 4089. The measurement of [discharge] (accepted  
voltage) and surge distribution in voltage transformers  
J. Golik, *Practical electronics*, 11, No. 2, 3,  
23-26 (1959) in Polish.  
Methods of measuring the magnitude of internal  
discharges and their accepted voltage are discussed.  
They are applied to 110kV voltage transformers.  
The difficulty is explained of assessing the admitted  
magnitude of discharges for composite insulation in  
particular. The surge voltage distribution in multi-  
layer windings of 1-, 2- and 4-wind cascade transformer  
is shown on oscillograms and graphs. The measured  
influence of capacitance in the input to the cable  
leads on the result is indicated. Owing to non-

**"APPROVED FOR RELEASE: 09/24/2001**

**CIA-RDP86-00513R000515720017-3**



**APPROVED FOR RELEASE: 09/24/2001**

**CIA-RDP86-00513R000515720017-3"**

GOLINSKI, J.

1130. IONIZATION IN TRANSFORMERS AND ELECTRICAL MACHINES. A. Goldfarb, W. Loh and S. Goldstein. In: *Rozprawy Elektrotech.*, Vol. 3, No. 3, 403-44 (1967). With summaries (1 p.) in Russian and (1 p.) in English.

A comprehensive review of ionization phenomena in homogeneous gaseous, solid and fluid dielectrics is presented. Methods of measurement by means of a revolving camera, photocalorimetry recording on photographic paper are given. Detection methods for internal ionization in insulation are discussed. Results of the authors' own work are included. A bibliography of 134 items is given.

ODERFELD, Jan, prof.,dr. (Warszawa); Bogumil, T., mgr.,inz.; GOLINSKI,  
J., mgr.,inz.; MORECKI, A., doc.,dr.

Empirical determination of the kinetic coefficient of friction.  
Archiw bud masz 8 no.4:469-472 '61.

1. Zespól Katedry Teorii Maszyn i Mechanizmów Politechniki Warszawskiej

GOLINSKI, Jacek, Mgr. inż.

220 V / receiving transformers. Inst Elektrotech. no. 26:23-4  
' 1.

1. Zbiór wysochich napięć, Warszawa.

1/12/1986 10:00 AM  
11/11/1981

Reference: 11/11/1981 10:00 AM

11/11/1981 10:00 AM 11/11/1981 10:00 AM

11/11/1981 10:00 AM 11/11/1981 10:00 AM

TEXT: The document is for the convenience of ferro-ferromagnetic in a capacitive voltage transformer and the influence of the ferro-ferromagnetic on the occurrence of harmonics and is illustrated by means of vector diagrams for the cases of a) linear and b) non-linear ferro-ferromagnetic. The diagram of displacement of ferro-ferromagnetic oscillations is discussed in connection with the existing ferro-ferromagnetic. The problem of ferro-ferromagnetic oscillations carried out at the state of ferro-ferromagnetic and ferro-ferromagnetic. The diagram involved the state of the possibilities of occurrence of ferro-ferromagnetic. Cases other than linear, covered by the standard standard S.2.10-19521. 29, finding the appropriate methods of ferro-ferromagnetic displacement and laboratory tests on an unbalanced capacitive voltage transformer during normal working conditions. The method of ferro-ferromagnetic displacement based on connecting Card 1/2

Resonance phenomenon in ...

1951/12/10 17:17:00  
0015 1701

the resistance during imbalance and that caused by the use of a constant resistive load are described and illustrated by the data. Conclusions are drawn that for high capacitance of the condenser potential divider during the imbalance load and the core saturation, ferro-resonance is most likely to occur. Damping is best accomplished by additional loading of the transformer coil. The Swedish standards requirements SLS 91 proved to provide a simple and effective test procedure. There are 12 figures and 16 references: 5 soviet-bloc and 11 non-soviet-bloc. The most recent references to the english-language publications read as follows: T.T. Koriakov and A. Lyuda, Power in mains and systems, 1961, p. 48, p. 254; F.L. Hamilton, The Resonance Review, 1961, p. 172; G. Gray, Proc. IRE, Pt. II, 1957, p. 571; N. Koshida, J. Appl. Phys., 1961, p. 760.

ASSOCIATION: Institut elektroteknisk (Institute of Electrotechnics);  
Zaklady avtomatizatsii i avtomaticheskogo upravleniya (Automatizing  
Plant of High voltage devices).

Card 2/2



GOLINSKI, Jan, MAKOWSKI, Stanislaw

Capacitor voltage transformers. Przegl elektrotechn 38 no.2:  
46-50 '62.

1. Instytut Elektrotechniki, Warsaw (for Golinski). 2. Zaklady  
Wytworcze Aparatów Wysokiego Napięcia (for Makowski)

GOLINSKI, Jacek; MAKOWSKI, Zbigniew

Resonance phenomena in capacity voltage transformers. Przegl  
elektrotechn 38 no.3:99-104 Mr '62.

1. Instytut Elektryrotechniki, Warszawa (for Golinski) 2. Zakłady  
Wytworcze Aparatów Wysokiego Napięcia, Warszawa (for Makowski).

GOLINSKI, Jozef Antoni (Wroclaw)

Analysis of transient resonance of a one-mass vibrating system  
and its application to the theory of vibration isolation of  
rotating machinery. Inst masz przep PAN no.13:81-198 '63.

GOLINCEI, Jan, mgr inz.; LESNIAK, Zdzislaw, dr inz.; WINOWSKI, Jozef, mgr

Use of digital computers in static calculations. Inz i bud 20  
no.2:69-72 F '63.

DUDEK, W.; GOLINSKI, J.; LASHOWSKI, J.

Impulse strength tests of transformer insulation. Przegł  
elektrotechn 32 no. 7:261-265 J1 '63.

1. Zakład Wysokich Napięć, Instytut Elektrotechniki, Warszawa.

GOLINSKI, Jan, dr. inż.

Optimal synthesis of machines by Monte Carlo method  
Tech. 23 no. 4/1982 25 p. 1982.

Department of Theory of Machines and Mechanisms, Technical  
University, Warsaw

ACC NR: AP6032358

(N)

SOURCE CODE: PO/0035/66/000/014/0423/0428

AUTHOR: Dietrich, Marek (Doctor, Engineer, Adjunct professor); Golinski, Jan (Doctor, Engineer, Adjunct professor)

ORG: none

TITLE: Design of gear drives. New method optimizing the design for use with digital computers

SOURCE: Przegląd mechaniczny, no. 14, 1966, 423-426

TOPIC TAGS: digital computer, transmission gear

ABSTRACT: The paper discusses a new method of designing gear drives in which the problem of design is formulated in a novel manner and solved by a random search of the region of allowed solutions, using random numbers of uniform distribution. The new method can be applied only when digital machines are employed. The article also gives a practical computational example for a gear drive executed in accordance with the adopted diagram and illustrating the proposed method of optimum synthesis of gear drives. Orig. art. has: 1 figure and 9 formulas.

SUB CODE: 09,13/ SUBM DATE: none/ ORIG REF: 004/ SOV REF: 001

Card 1/1

POCINSKI, Jozef A., dr., inż., adiunkt

Computation of vibration absorbers with many degrees of freedom.  
Inżynieria sanitarna no.45:55-82 '61.

1.Katedra Ogrzewania i Wentylacji Politechniki Wrocławskiej.



GOLINSKI, Jozef A., dr inż., adiunkt

Analysis of transient resonance of a one mass vibrating system  
and its application to the theory of vibration isolation of  
rotating machines. Pt. 2. Inż sanit Wrocław 411-89 '63.

1. Katedra Ogzewania i Wentylacji, Politechnika, Wrocław.

GOLINSKI, Jozef Antoni (Wroclaw)

Analysis of Geiger torsigraph records in cases of untypical use of the instrument. Inst masz przep PAN no.10:79-167 '62.

GOLINSKI, Juliusz

The associations of the industrial branches have been  
necessary. Przegl drobn wytwor 12 no.7:10-12 Ap '62.

CETNAROWICZ, Jan; GOLINSKI, Kazimierz;; WIEJOWSKI, Michal; URASINSKI,  
Ignaci; Krakow.

Pneumopericardium as a complication of perforation of a peptic  
ulcer of the stomach. Przegl.lek., Krakow 11 no.6: 166-169 1955.

1. Z II Kliniki Chorob Wewn. A.M. w Krakowie. Kierownik: prof.  
dr. T. Tompa i z Zakladu Anatomii Patologicznej A.M. w Krakowie  
Kierownik: prof. dr. J. Kowalczykowa.

(PEPTIC ULCER, perforation  
causing pneumopericardium)  
(PNEUMOPERICARDIUM, complications  
peptic ulcer perf.)

GOLINSKI, Kazimierz; HANICKI, Zygmunt

Problem of the group diseases: eosinophilic granuloma, Hand-Schuller-Christian disease, Letterer-Siwe disease. Polskie arch. med. wewn. 25 no.6a:1265-1273 1955.

1. Z II Kliniki Chorob Wewnętrznych A. M. w Krakowie Kierownik: prof. dr. nauk med. T. Tempka Krakow, Wyspińskiego 11/3.

(EOSINOPHILIC GRANULOMA

relation to Hand-Schuller-Christian synd. & Letterer-Siwe dis. (Pol))

(LIPOIDOSIS

Hand-Schuller-Christian synd., relation to eosinophilic granuloma & Letterer-Siwe dis. (Pol))

(RETICULOENDOTHELIOSIS

Letterer-Siwe dis., relation to eosinophilic granuloma & Hand-Schuller-Christian synd. (Pol))

FENCZYN, Jan; GOLINSKI, Kazimierz

Procaine in radiological diagnosis of diseases of the stomach and duodenum. Postępy radiol. 2:60-69 1956.

1. Z oddziału gastrologicznego i pracowni radiologicznej II Kliniki Chorob Wewnętrznych A.M. w Krakowie Kierownik: prof. dr. T. Tempka.

(DUODENUM, radiography,  
procaine in (Pol))

(STOMACH, radiography,  
procaine in (Pol))

(PROCAINE,  
in stomach & duodenum x-ray (Pol))

EXCERPTA MEDICA Sec.14 Vol.11/9 Radiology Sept 57.

1651. GOLINSKI K. Pracowni Radiol. II Klin. Chor. Wewnętrz. A.M., Kraków.  
\*Woda mineralna Zuber III jako środek do badania motoryki woreczka  
żółciowego. Mineral water zuber III used as a means to  
examine the motor function of the gallbladder PRZEGL. LEK  
1957, 13/1 (22-23) Tables 1

On the ground of roentgen examinations it is emphasized that the use of zuber III  
does not in general influence the motor-function of the gallbladder.

Mikulowski - Cracow (XIV, 6\*)

CETNAROWICZ, Jan; HANICKI, Zygmunt; KIRCHMAYR, Stanislaw; KOSTKOWSKI, Andrzej;  
MRUK, Jozef; WIEJOWSKI, Michal. (czesc kliniczna). GOLIBSKI, Kazi-  
mierz, (czesc radiologiczna).

Clinical aspects of diseases of the osteo-hemopoietic system according  
to data of the Second Internal Clinic of the Academy of Medicine in  
Krakow. Polskie arch. med. wewn. 29 no.2:224-240 1959.

1. Z II Kliniki Chorob Wewnętrznych A. M. w Krakowie Kierownik prof.  
dr med. T. Tempka. Adres: Krakow, ul. Kopernika 15. II Klinika Chor.  
Wewn. A.M.

(BLOOD DISEASES, statist.  
hosp. statist. (Pol))



GOLIKOVA, N. S. ; A. S. ...

Stripping uranium from tri-n-butylamine extracts by sulfur carbonate solutions. Radiotekhnika i elektronika, No. 11, 1976, pp. 2100-2101.

1. Author. Radiotekhnika i elektronika, No. 11, 1976, pp. 2100-2101, 2101. English translation, Moscow.

L 22500-66 ENP(t) IJP(c) JD/WW/JG

ACC NR: AP6011470

SOURCE CODE: PO/CO46/65/010/011/0705/0714

AUTHOR: Golinski, Marek--Golin'ski, M.; Korpak, Wincenty--Korpak, V. 42  
13

ORG: Department of Technological Chemistry, Institute of Nuclear Research, Warsaw  
(Zaklad Technologii Chemicznej Instytut Badan Jadrowych)

TITLE: Solvent extraction of molybdenum<sup>11</sup> and uranium<sup>27</sup> from sulfate solutions with tri-n-octylamine

SOURCE: Nukleonika, v. 10, no. 11, 1965, 705-714

TOPIC TAGS: solvent extraction, molybdenum, uranium, sulfate

ABSTRACT: Extraction of Mo and U from sulfate solutions with tri-n-octylamine was investigated. It was demonstrated that the extraction coefficient of Mo ( $D_W^O$ ) decreased when the U and Fe concentrations were increased. When the pH of the solution was increased  $D_W^O$  also increased. The influence of the Mo concentration and pH value on the extraction coefficient of U ( $E_W^O$ ) was determined. Mo in the aqueous phase decreased the  $E_W^O$  value. In the presence of Mo, the changing of pH had no influence on the value of  $E_W^O$ . The authors thank Mr. B. Jurzyk for carrying-out the analytic part of the work. Orig. art. has: 6 figures and 4 tables. /NA/

SUB CODE: 07 / SUBM DATE: 12Jun65 / ORIG REF: 004 / OTH REF: 004

Card 1/1 PK



SOV.124-57-5-5507

Translation from: Referativnyy zhurnal. Mekhanika, 1957, Nr 5, p 56 (USSR)

AUTHOR: Golinskiy, B. L.

TITLE: Concerning an Ideal Fluid Flow Past a System of Arcs That Can Be Approximated by Straight-line Segments and the Corresponding Keldysh-Sedov Boundary Problems (K voprosu ob obtekanii sistemy dug blizkoy k otrezkom pryamoy v ideal'nom potoke i o sootvetstvuyushchikh krayevykh zadachakh tipa Keldysha-Sedova)

PERIODICAL: Tr. Khar'kovsk. aviats. in-ta, 1955, Nr 16, pp 109-122

ABSTRACT: The author examines a fluid flow past a system of arcs  $E'$  that differs but little from a system of straight-line segments  $E$ . Situated on that same straight line is a system of segments  $C$  which are endowed with vortices having a density  $\gamma(u)$ . The integral equation for the problem is solved by the methods developed by N. I. Akhiezer (Izv. AN SSSR, 1945, Vol 9, pp 275-290). In this way the Wagner equation for the unsteady motion of a wing (Z. angew. Math. und Mech., 1924, Vol 5, Nr 17) is evolved anew, and with it the expressions for the flow past an S. A. Chaplygin slotted wing and past a cascade formed by the segments of a single straight line [Sedov, L. I., Ploskiye zadachi

Card 1/2

SOV/124-57-5-5507

Concerning an Ideal Fluid Flow Past a System of Arcs (cont.)

gidrodinamiki i aerodinamiki (Planar Problems in Hydrodynamics and Aerodynamics). Gostekhizdat. Moscow-Leningrad, 1950]. In addition, an expression is evolved for the flow past a system of arcs that are ~~virtually coincident with the x~~ axis, which is situated between two solid parallel walls, one on each side thereof and both equally distant therefrom. Bibliography: 5 references.

M. I. Gurevich

Card 2 2

SOV/124-59-1-183

Translation from: Referativnyy zhurnal. Mekhanika, 1959, Nr 1, pp 23-24 (USSR)

AUTHOR: Golinskiy, B.L.

TITLE: Flow Past a Circle-shaped System of Thin Arcs by a Stationary Flow of an Ideal Incompressible Fluid<sup>1</sup>

PERIODICAL: Tr. Khar'kovsk. aviats. in-ta, 1957, Nr 17, pp 199-203

ABSTRACT: Formulae for the lifting power and moment in the case of flow past a system of arcs, that differ little from the arcs of one circle, are derived for an unbounded flow and for a flow restricted by a horizontal wall, in which the center of the circle-shaped arcs is lying. For the derivation of the indicated formulae are applied the thin wing method and the formulae for the inversion of singular integrals, found by N.I. Akhiezer (Izv. AS USSR, 1945, Vol 9, Nr 4, pp 275-290).  
Bibl. 4 titles.

(From Résumé)

Card 1/1

AUTHOR: Golinskiy, B.L. (Kharkov) SC1/240 -58-1-4/21  
 TITLE: An Analogue to the Formula of Christoffel for Polynomials Which are Orthogonal on the Unit Circle, and Some Applications  
 (Analog formuly Kristoffelya dlya mnogochlenov, ortogonal'nykh na yedinichnoy okruzhnosti, i nekotoryye yeye prilozheniya)  
 PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy Ministerstva vysshego obrazovaniya SSSR, Matematika, 1958, Nr 1, pp 31 - 42 (USSR)  
 ABSTRACT: Christoffel set up a formula which allows to determine the orthogonal polynomials corresponding to the distribution  $d\sigma(x) = P_n(x)d\sigma_0(x)$ , where  $P_n(x)$  is a polynomial positive on  $[a, b]$ , if the polynomials orthogonal on  $[a, b]$  corresponding to the distribution  $d\sigma_0(x)$  are known. The author gives a generalization of this formula for the case where the orthogonality is not demanded on  $[a, b]$  but on the unit circle. Here the classical method of Christoffel and lateron of Bernshteyn [Ref 1] turns out to be not applicable. The author obtains the generalized formula by consideration of the conditional extremum problem

Card 1/ 2

An Analogue to the Formula of Christoffel for  
Polynomials Which are Orthogonal on the Unit Circle, and Some Applications

SOV/140-58-1-4/21

$$\min \frac{1}{2\pi} \int_0^{2\pi} |G_m(z)|^2 d\sigma(\theta) = g_m(z_0), \quad z = e^{i\theta},$$

where  $G_m(z)$  is a polynomial of degree  $n$  in  $z$ .

Then the author gives some applications of the obtained formula.

There are 7 references, 5 of which are Soviet, 1 English, and 1 Hungarian.

ASSOCIATION: Khar'kovskiy aviatsionnyy institut (Kharkov Aviation Institute)

SUBMITTED: October 11, 1957

Card 2/2



SOV/140.50-2-4/20

AUTHOR: Golinskiy, B.L.

TITLE: On Some Boundary Relations in the Theory of Orthogonal Polynomials  
(O nekotorykh predel'nykh sootnosheniyakh v teorii ortogonal'nykh mnogochlenov)

PERIODICAL: Izvestiya vysshikh uchebnykh zavedeniy Ministerstva vysshego obrazovaniya SSSR, Matematika, 1958, Nr. 2, pp 29-38 (USSR)

ABSTRACT: Theorem: Let  $\sigma(\theta)$  be absolutely continuous on  $[\alpha, \beta]$ ; here let

$p(\theta) = \sigma'(\theta)$  be continuous and  $p(\theta) \geq m > 0$ .  $\int_{-\pi}^{\pi} \ln p(\theta) d\theta > -\infty$

Then

$$\lim_{n \rightarrow \infty} \frac{n+1}{K_n(e^{i\theta_0}, e^{i\theta_0})} = p(\theta_0), \quad K_n(z_0, z_0) = \sum_{v=0}^n |\varphi_v(z_0)|^2$$

where  $\{\varphi_v(z)\}_{v=0}^{\infty}$  is a normed orthogonal system of polynomials corresponding to  $d\sigma(\theta)$  (see e.g. Geronimus [Ref 1]). The author formulates two further similar theorems being in a direct connection with the investigations of Geronimus [Ref 1] and overlapping somewhat with the results of Grenander and Rosenblatt [Ref 8].

Card 1/2

On Some Boundary Relations in the Theory of Orthogonal Polynomials SBT/240-58-2-4/20

There are 7 references, 5 of which are Soviet, 1 Polish, and 1 American.

ASSOCIATION: Khar'kovskiy aviatsionnyy institut (Khar'kov Aviation Institute)

SUBMITTED: October 11, 1957

Card 2/2

16(1)

AUTHOR:

Golinskii, P. L.

007/40-59-3-5/22

TITLE:

On the Local Properties of Functions of the Class  $L^p$

PERIODICAL:

12. Vopr. vychisl. uchebnykh zavodov, Saratovsk. 1980. Nr 3, p. 11-17 (USSR)

ABSTRACT:

Let  $f(x) \in L^p(a, b)$ ,  $p \geq 1$ , and  $\omega_k^{(p)} \in L^p(a, b)$ , where  $[a, b] \subset \mathbb{R}$ . Let  $\omega_k^{(p)}$  be the  $k$ -th order of continuity of  $f(x)$ . Further let  $E_k^{(p)}(f, a, b) = \min_{T_n} \|f - T_n\|_{L^p(a, b)}$ , where the minimum is taken over all trigonometric polynomials of degree  $n$  and under Theorem: If

$$\sum_{n=N}^{\infty} \frac{1}{n^{\frac{1}{p} + \epsilon}} \omega_k^{(p)}(f, n) < \infty, \quad \epsilon > 0,$$

then  $f(x)$  is equivalent to a function  $g(x) \in L^p(a, b)$ .

$[a, b] \subset \mathbb{R}$  which can be approximated by trigonometric polynomials  $T_n(x)$ , where

Card 1/4

On Some Local Properties of Functions of the  
Class  $L^p$

SGV/140-59-3-5/22

$$\|f_0(x) - T_n(x)\|_{q, (a'', b'')} \leq K_1 \sum_{v=\lfloor \frac{n}{4} \rfloor}^{\infty} y^{-(\frac{1}{q} - \frac{1}{p} + 1)} \omega_k^{(r)}(\frac{1}{y}, f; a, b'),$$

$$n \geq N_0, \quad K_1 = K_1(a, a', b', b; \|f\|_{p, (a, b)}).$$

Theorem. Under the assumptions of the preceding theorem  $f(x)$  is equivalent to a function  $f_0(x) \in L^q(a'', b'')$  with the modul of

$$\text{continuity } \omega_k^{(q)}(f_0, \delta; a_1, b_1) = O \left\{ \delta^k \int_0^{\delta} x^{k-1} b_k^{(p)}(x, f) dx \right\}, \text{ where}$$

$$b_k^{(p)}(x, f) = \int_x^{\infty} y^{-(\frac{1}{q} - \frac{1}{p} + 1)} \omega_k^{(r)}(\frac{1}{y}, f; a, b') dy$$

$$\text{and } (a_1, b_1) \subset (a'', b'') \subset (a, b') \subset (a, b), \quad \delta \leq \eta.$$

Card 2/1

On Some Local Properties of Functions of the  
Class  $L^p$

307/40-59-3-5/22

Theorem: Let  $f(x) \in L^p(a, b)$  and  $f(x) \in \text{Lip}(\alpha, p; a', b')$ ,  $0 < \alpha < 1$ ,  
 $p \geq 1$ . If  $a'p < x \leq b'$  and  $p < q < \frac{p}{1-\alpha}$ , then  $f(x) \in \text{Lip}(\alpha - \frac{1}{q}, \frac{1}{p}, q; a', b')$ .

If  $\alpha p > 1$ , then  $f(x)$  is equivalent to the continuous function  
 $f_0(x) \in \text{Lip}(\alpha - \frac{1}{p}, 1; a', b')$ ;  $(a', b') \subset (a, b)$ .

Theorem: From  $f(x) \in L^p(a, b)$ ,  $p \geq 1$ , and  $f(x) \in \text{Lip}(\frac{1}{p}, p; a', b') \in$   
 $L_p(a', b')$ ;  $(a', b') \subset (a, b)$ , there follows  $f(x) \in L_q(a, b)$ ,  
 $p < q < \infty$ ;  $(a', b') \subset (a, b)$ .

Theorem: Let  $f(x) \in L(0, \infty)$ ; for every  $(a, b) \subset (0, \infty)$  let  
 $f(x) \in L^p(a, b)$ ,  $1 < p \leq 2$ . If

$$\sum \frac{1}{j} [E_j^{(p)}(f; a, b)]^p < \infty,$$

then the Fourier series of  $f(x)$  converges almost everywhere  
on  $(a, b)$ .

Card 3/4

6

On Some Local Properties of Functions of the  
Class  $LP$

SOV/44-53-1-5/12

For  $p = 2$  the last theorem was proved by N.K.Bari [Ref 4].  
There are 11 references, 6 of which are Soviet, 1 English,  
German, and 1 Polish.

ASSOCIATION: Khar'kovskiy aviatsionnyy institut (Khar'kov Aviation Institute)

SUBMITTED: April 29, 1958

Card 4/4

22(1)

OV/27-58-4-22-28

AUTHORS: Bruk, F., Instructor, and Golinskiy, B., Candidate of Physico-Mathematical Sciences

TITLE: Bibliography. A Valuable Aid

PERIODICAL: Professionalno-tekhnicheskoye obrazovaniye, 1958, Nr 4, p 31 (USSR)

ABSTRACT: The authors review a book on problems in the fundamentals of engineering mechanics compiled by I.Ya. Shtayerman and A.I. Gal'perin, published by Trudreservizdat in 1958. They also refer to other textbooks published in recent years and composed by Levinson, Mitinskiy and Movnin, Bychkov and Mirov.

Card 1/1

11/9/00



16(1)

AUTHOR:

Golinskiy, B.L. (Khar'kov)

UDC/59-47-2-6/6

TITLE:

On the Question Concerning the Summability of the Fourier-Chebyshev Series According to the Method of Feyer (K voprosu o summirovani ryadov Fur'ye-Chebysheva po metodu Feyera)

PERIODICAL:

Matematicheskii sbornik, 1959, Vol 47, Nr 2, pp 255-264 (USSR)

ABSTRACT:

Let  $f(\varphi)$  be a  $2\pi$ -periodic real function of the class  $L^r(0, 2\pi; p)$ , i.e.

$$\int_0^{2\pi} |f(\varphi)|^r p(\varphi) d\varphi < \infty, \quad r \geq 1$$

where  $p(\varphi)$  is a  $2\pi$ -periodic summable function. Let  $S_n(f; \varphi)$  be the section of the Fourier-Chebyshev series of  $f(\varphi)$  and

$$\varphi_n^{(k)}(\varphi) = \left\{ \frac{1}{n+1} \sum_{\nu=0}^n |S_\nu(f; \varphi) - f(\varphi)|^k \right\}^{1/k}.$$

Theorem: If it is

$$I(\varphi) \geq m > 0$$

Card 1/2

On the Question Concerning the Summability of the Fourier-Chebyshev Series According to the Method of Peyer 007/15-17-2-0/1

almost everywhere on  $[a-1, b+1]$ ,  $\epsilon > 0$ .

then it is

$$s_n^{(k)}(0) = O(1) \quad \text{for } k = 1, 2 \text{ almost every-}$$

where on  $[a, b]$ .

There are 7 references, 1 of which are Soviet, 1 Hungarian, and 1 German.

SUBMITTED: JULY 1, 1957

Card 2/2

USCOMM-DC-60940

GOLINSKIY, B.L.

One of the theorems of G.Hardy and J. Littlewood. Izv.vys.ucheb.  
zav.; mat. no.1:94-102 '60. (MIRA 13:6)

1. Khar'kovskiy aviatsionnyy institut.  
(Functions of real variables)

89981

16.4100.

S/033/60/C51/004/003/007XX

16.4200

C 111/ C 333

AUTHOR: Golinskiy, B. L. (Khar'kov)

TITLE: On local approximation of two conjugate functions  
by trigonometric polynomials

PERIODICAL: Matematicheskiy sbornik, v. 51, no. 4, 1960, 401-426

TEXT: Let  $f(x)$  be  $2\pi$ -periodic,

$$f(x) \in L(0, 2\pi); \quad (0.1)$$

$L^p(a, b) \subset C(a, b)$ ; let

$$f(x) \in L^p(a, b) \quad (0.3)$$

mean that besides (0.1) there is still satisfied

$$f(x) \in L^p(a, b), \quad 1 \leq p \leq \infty \quad (0.2)$$

Let  $[a, b] \subset (0, 2\pi)$ . Let usually  $\|f\|_{(a, b)} =$   
 $\|f\|_{L^p(a, b)}$  for  $1 \leq p < \infty$  and  $\|f\|_{C(a, b)}$  for  $p = \infty$ .

Card 1/3

03981

S/039/60/051/004/003/007XX

C 111/ C 533

On local approximation of two . . .

Let  $\omega_{k,p}(\delta) = \omega_{k,p}(f, \delta; a', b') = \sup_{0 < |h| \leq \delta} \|\Delta_k(f, h)\|_{p, (a', b')}$

where

$$\Delta_k(f, h) = \sum_{i=0}^k (-1)^{k-i} \binom{k}{i} f(x+ih), \quad 0 < \delta \leq \frac{\delta_0}{k}, \quad \delta_0 = \min(a'-a, b-b') \quad (0.5)$$

Let  $\omega_{k,p}(\delta) \in \omega_p(\delta)$ . Let  $f(x) \in Z_{q,p,(a,b)}$ ,  $1 \leq p \leq \infty$  mean that

$f(x) \in L^p(a,b)$  and that

$$\int_0^\delta \frac{\omega_p^2(f, t; a', b')}{t} dt < \infty \text{ holds for an arbitrary } [a', b'] \subset (a, b)$$

and an arbitrary  $q \geq 1$ ,  $0 < \delta \leq \delta_0$ . If  $f(x) \in L(0, 2\pi)$  and

$f(x) \in Z_{q,p,(a,b)}$  then  $f(x) \in Z_{q,(0,2\pi)}^{p,(a,b)}$ . Let

Card 2/ 15

29951

S/019/60/051/004/003/007XX

C 111/ C 353

On local approximation of two

$$E_{n,p}(f; a, b) = \inf_{\{T_n\}} \|f - T_n\|_{(a,b)} \quad (0.6)$$

where  $T_n$  are trigonometric polynomials of at most order  $n$ . Let  $\varphi \in \Phi$ , if

$\varphi(x)$  does not monotonely decrease,  $\varphi(x) > 0$ ,  $\varphi(0)=0$ ,  $0 < x < \infty$  (0.7)

$\varphi \in \Phi$  satisfies the conditions (Z), (B), (Z<sub>1</sub>), (B<sub>1</sub>), if

$$(Z) \int_0^x \frac{\varphi(t)}{t^2} dt = O\{\varphi(x)\}, \quad (B) \sum_{v=n+1}^{\infty} \frac{1}{v} \varphi\left(\frac{1}{v}\right) = O\left\{\varphi\left(\frac{1}{n}\right)\right\} \quad (0.8)$$

$$(Z_1) \int_0^{x_0} \frac{\varphi(t)}{t^2} dt = O\{\varphi(x)\}, \quad (B_1) \sum_{v=1}^n \varphi\left(\frac{1}{v}\right) = O\left\{\varphi\left(\frac{1}{n}\right)\right\} \quad (0.9)$$

$\varphi \in \Phi$  is called a majorant of the modul of continuity respectively of the best approximations, if

$$\omega_p(\delta) = O\{\varphi(\delta)\}, \quad 0 < \delta \leq \theta \delta_0, \quad \theta \neq 1 \quad (0.10)$$

Card 3/ 13

89981

S/039/60/051/004/003/007XX  
C 111/ C 335

On local approximation of two  
respectively,

$$E_{n,p}(\varphi(x)) = O\left\{\varphi\left(\frac{1}{n}\right)\right\} \quad (n = 1, 2, \dots) \quad (0.11)$$

holds. Assume that the notation  $\omega_p(\delta) \sim \varphi(\delta)$  means that

$$A_1 \varphi(\delta) \leq \omega_p(\delta) \leq A_2 \varphi(\delta) \quad (0.12)$$

Let  $A, B, C, \dots$  be constants;  $A_f, B_f, C_f, \dots$  -- constants depending on  $f$ .

Let

$$\mathcal{O}[f(x)] = \frac{a_0}{2} + \sum_{n=1}^{\infty} a_n \cos nx + b_n \sin nx; \quad (0.15)$$

$$\tilde{\mathcal{O}}[f(x)] = \sum_{n=1}^{\infty} a_n \sin nx + b_n \cos nx; \quad (0.15')$$

$$\tilde{f}(x) = \frac{1}{\pi} \int_0^{\pi} \psi(t) \frac{1}{2} \cot \frac{t}{2} dt \quad (0.16)$$

Card 4/15

89981.

S/013/50/051/004/003/007XX

0111/0333

On local approximation of two

where  $\psi(x,t) = f(x+t) - f(x-t)$

Theorem 1: Let  $f(x) \in L^p_{\omega_p}(a,b)$  ( $1 \leq p \leq \infty$ ) (2.1). Then it holds

$$\| \tilde{f}(x) - \tilde{\sigma}_n(x) \|_{L^p(a,b)} \leq B_f^{(1)} \frac{1}{n} + B_f^{(2)} \omega_p\left(\frac{1}{n}\right), \quad (2.2)$$

where the constants are  $B_f^{(k)} = B_f^{(k)}(a,b)$  ( $a < b$ ),  $\|f\|_{L^p(a,b)}$ ,  $k=1,2$ .

Then integer  $n \in \mathbb{N}_0$ ,  $\max \left\{ 2, \frac{2\pi}{\delta} \right\}$ ,  $\delta$  -- arbitrary constant,  $0 < \omega_p \leq \infty < \pi$  and  $\tilde{\sigma}_n(x)$  --  $n$ -th Fejér sum of the conjugate Fourier series of  $f(x)$ .

Theorem 2: Let

$$f(x) \in L^p(a,b) \quad 1 \leq p \leq \infty \quad (2.23)$$

Then it holds

$$\tilde{f}(x) \in L^p(a,b) \quad \text{and} \quad (2.24)$$

Card 5/15



89982

S/059/60/051/004/003/007XX  
C 11/ 0 333

On local approximation of two

$$\|f(x) - \sigma_{n_0}(x)\|_{(a,b)} \leq B_f \left\{ \omega_F\left(\frac{1}{n}\right) + \int_0^{\frac{1}{n}} \frac{\omega_F(t)}{t^2} dt \right\} \quad (2.30)$$

$$n \geq n_0, B_f = B_f(a, a; b, b; f)_{(a,b)}, \|f\|_1(0, 2\pi)$$

Theorem 1. Assume that  $f(x)$  satisfies (2.1). Then it holds

$$\|f(x) - \sigma_{n_0}(x)\|_{(a,b)} \leq B_f \left\{ \omega_F\left(\frac{1}{n}\right) + \frac{1}{n} \int_0^{\frac{1}{n}} \frac{\omega_F(t)}{t^2} dt \right\} \quad (2.32)$$

where  $\sigma_n(x)$  is an  $n$ -th Fejér sum of  $f(x)$ ,  $n \geq n_0 = \max \left\{ 2, \frac{\pi}{\sigma_0} \right\}$ .

Theorem 1. Let  $f(x)$  satisfy the condition (2.1) and let

Card 6/14

59932

S/03-/60/051/004/007XX

C 111/ C 333

On local approximation of two

$$E_{n,p}(f; a, b) = O \left\{ \varphi \left( \frac{1}{n} \right) \right\} \quad (n=1, 2, \dots), \quad (2.41)$$

where  $\varphi \in \mathcal{D}$  satisfies the conditions (B) and (B<sub>1</sub>). For arbitrary  $[a', b'] \subset (a, b)$  then it holds:

$$\|f(x) - \tilde{\sigma}_{n,p}(x)\|_{(a', b')} = O \left\{ \varphi \left( \frac{1}{n} \right) \right\}, \quad n \geq n_0 \quad (2.42)$$

$$\|\tilde{f}(x) - \tilde{\sigma}_{n,p}(x)\|_{(a', b')} = O \left\{ \varphi \left( \frac{1}{n} \right) \right\} \quad n \geq N_0 \quad (2.43)$$

Theorem 1: Let  $f(x)$  satisfy (2.1); let

$$E_{n,p}(f; a, b) = O \left\{ \varphi \left( \frac{1}{n} \right) \right\} \quad (n=1, 2, \dots), \quad \varphi(x) = x^\alpha \ln \frac{C}{x}^\beta \quad (2.45)$$

If

$$0 < \alpha < 1, \quad 0 \leq \beta \leq (1-\alpha) \ln \frac{C}{d_1} - 1, \quad d_1 > d_0 \quad \text{or} \quad (2.46)$$

$$\alpha = 1, \quad \beta = 0 \quad (2.46')$$

Card 7/13

39981

S/039/60/051/004/003/007XX

C 111/ C 333

On local approximation of two . . .  
for arbitrary  $[a', b'] \subset (a, b)$  it holds then:

$$E_{n, f}(f; a', b') = O \left\{ \varphi \left( \frac{1}{n} \right) \right\}, \quad (2.47)$$

where (2.47) in the case (2.46) holds for  $n \geq N$ , and in the case (2.46') for  $n \geq N$ , where  $N$  is sufficiently large.

Theorem 6: Let  $f(x)$  satisfy (2.4). Then it holds

$$\|f(x) - U_n(x)\|_{(a, b')} \leq \mathcal{E}_f \left\{ \frac{1}{n} + \omega_{2, p} \left( f, \frac{1}{n}; a', b' \right) \right\} \quad (2.51)$$

where the constant is  $\mathcal{E}_f = \mathcal{E}_f(a, b'; \|f\|_{1, (0, 2\pi)})$ ,  $U_n(x)$  -- trigonometric Jackson sum of  $f(x)$ ,

$$n \geq n_0 = \max \left\{ \left[ \frac{4}{\delta_0} \right] + 1, \left[ \frac{4}{\delta_0^2} \sqrt{2} \right] \right\}, \quad [a', b'] \subset (a, b) \text{ arbitrary.}$$

Theorem 7: Let

$$\|f(x)\|_{1n^r} \|f(x)\| \in L(0, 2\pi) \quad (2.63)$$

and

Card 8/13

09201

S/032/60/051/004/003/007XX

C 11/ C 333

On local approximation of two

$$f(x) = \begin{cases} f^p(a, b) & \text{for } p > 1 \\ f^p(a, b) & \text{for } p = \infty \end{cases} \quad (2.64)$$

(2.64')

For arbitrary  $[a'', b''] \subset (a, b)$  and a certain  $\mu'$  then it holds

$$\| \tilde{f}(x) - \tilde{U}_n(x) \|_{(a'', b'')} = \tilde{O}_+ \left\{ \frac{1}{n} + \omega_{2,p} \left( \tilde{f}, \frac{1}{n}; a'', b'' \right) \right\}, \quad n \gg \mu', \quad (2.51')$$

where  $\tilde{U}_n(x)$  is the Jackson sum of  $\tilde{f}(x)$ .

Theorem 3: Let

$$f(x) \in Z_{1;(0,2\pi)}^{p,(a,b)}, \quad 1 \leq p \leq \infty \quad (3.1)$$

For arbitrary  $[a', b'] \subset (a, b)$  then it holds

Card 9/13

89982

S/059/60/051/004/003/007XX  
C :11/ 0 333

On local approximation of two

$$\begin{aligned} \omega_p(\tilde{f}, \delta; a'', b'') &= \\ &= 0 \left\{ \omega_p(f, \delta; a', b') + \int_0^{\delta} \frac{\omega_p(f, t; a', b')}{t} dt + \delta \int_0^{\delta_0} \frac{\omega_p(f, t; a', b')}{t^2} dt \right\} \quad (3.2) \\ [a'', b''] &\subset (a, b), \quad \delta \leq \delta_0 = \frac{1}{M_0} \end{aligned}$$

Theorem 9. Assume that  $f(x)$  satisfies (2.1) and that it holds

$$\int_0^{\delta} \frac{\omega_p(f, t; a', b')}{t} \ln \frac{\lambda}{t} dt < \infty, \quad \lambda = \varepsilon \delta_0, \quad \delta \leq \delta_0 \quad (3.11)$$

For every  $[a'', b''] \subset (a', b')$  then it holds

$$\tilde{f}(x) \in Z_{p, \lambda}(a'', b'') \quad (3.12)$$

Card 10/ 13

8995L

S/039/60/051/004/003/007XX

C 111/ C 523

On local approximation of two

Theorem 10: Let

$$|f(x)| \leq 1, |g(x)| \in L(C, 2\pi) \quad (3.17)$$

$$f(x) \in L^p(a, b) \quad 1 \leq p \leq \infty \quad (3.18)$$

If for every  $[a', b'] \subset (a, b)$  it holds

$$\omega_p(f, \delta; a', b') \sim \omega_p(g) \quad (1 \leq p \leq \infty) \quad (3.19)$$

where  $\varphi \in \Phi$  and satisfies the conditions (E) and  $(B_1)$ , then it holds

$$\omega_p(f, \delta; a'', b'') \sim \omega_p(g) \quad (3.20)$$

for  $\delta \in \delta_1 = \frac{1}{N_1}$  and for every  $[a'', b''] \subset (a', b')$

Theorem 11: Let

$$f(x) \in Z_{p; (0, 2\pi)}^{p, (a, b)} \quad 1 \leq p \leq 2 \quad (4.1)$$

Card 11/13

89981.

S/039/60/051/004/003/007XX

C 111/ C 333

On local approximation of two .

The series  $\sigma[f(x)]$  and  $\tilde{\sigma}[f(x)]$  then converge almost everywhere in  $(a,b)$

Theorem 12: Let

$$f(x) \in L_{1,(0,2\pi)}^{p,(a,b)} \quad (1 \leq p \leq 2) \quad \text{and} \quad (4.7)$$

$$E_{\varphi,p}(f; a,b) = O \left\{ \varphi \left( \frac{1}{\varphi} \right) \right\} \quad (\varphi = 1, 2, \dots) \quad (4.8)$$

where

$$\varphi \in \Phi \text{ and } \sum_{j=1}^{\infty} \varphi \left( \frac{1}{\varphi} \right) < \infty \quad (4.9)$$

Then  $\sigma[f(x)]$  and  $\tilde{\sigma}[f(x)]$  converge almost everywhere on  $(a,b)$ .

The author mentions N. K. Bari, S. B. Stechkin, A. F. Timan, Y. F. Timan and P. L. Ul'yanov.

Card 12/13

599A2

S/039/60/051/004/003/007XX

C 111/ C 333

On local approximation of two

There are 13 references: 10 Soviet-bloc and 3 non-Soviet-bloc. The two references to English-language publications read as follows: G. H. Hardy, W. W. Rogosinski, Fourier Series, Cambridge, 1944; A. Zygmund, On the degree of approximation of functions by Fejér Means, Bull. Amer. Math. Soc., 60, No. 4(1945), 274-279.

SUBMITTED: September '8, 1956

J

Card 13/13



GOLINSKIY, B.L.

Application of the theorem of G.Alexits and A.Zygmund and its  
local analogy. Izv.vys.ucheb.zav.; mat. no.2:44-51 '62.  
(MIRA 15:8)

1. Khar'kovskiy aviatsionnyy institut.  
(Harmonic analysis) (Functions, Continuous)

GOLINSKIY, S.L. (Khar'kov)

Local asymptotic relations and asymptotic formulae for polynomials,  
orthogonal on the unit circle. Mat. sbor. 64 no.3:323-356 J1 '64.  
(MIRA 17:12)

GOLINSKIY, B.L. (Khur'kov)

Use of a special type of integral operators in the approximation  
along the entire numerical axis of two functions conjugated  
according to M.Riess. Mat. sbor. 66 no.1:3-34 Ja '65.  
(MIRA 18:4)

GOLENSKIY, B.L.

Limit results and acquisition of information for political and social goals  
on a unit basis. (Soviet Union, 1960-1969; 1970-1979)

1. From a single organization for information. (Soviet Union, 1960-1969)

ACCESSION NR: APL040272

S/0202/64/000/003/0039/0046

AUTHORS: Napeyev, R. D.; Golinskiy, G. L.; Garagozov, D.

TITLE: Data on microseismic phenomena in Armenia for 1957 and 1960

SOURCE: AN Bulet. Ser. Ser. 1, Tekhn. Ania, 1964, no. 3, 39-46

TOPIC: Microseismicity; Armenia; Earthquake; Seismology

Abstract: This paper presents data on microseismic phenomena in Armenia for the years 1957 and 1960. The data were obtained from a network of seismological stations. The results show that microseismicity is widespread in Armenia, with a high concentration of events in the Yerevan region. The data also indicate that the intensity of microseismicity varies significantly from year to year, with 1960 showing a much higher level of activity than 1957. The paper discusses the possible causes of these variations and the relationship between microseismicity and larger earthquakes. It also provides a detailed description of the seismological stations and the methods used to collect and analyze the data.

Card 1/2

ACCESSION NR: A1144022

declines with increasing depth to the water table. These conclusions confirm the general conclusions of S. V. Malvedy and S. V. Puchkov, and they are in close agreement with computations on increase in scale value for acoustic softness of the ground. (encl. and. has: 3 figures.

ASSOCIATE: (encl. and. has: 3 figures) (encl. and. has: 3 figures) (encl. and. has: 3 figures)

SUPPLIED: 11/10/65

ENCL: 07

SUB CODE: 01

NO REF SER: 012

OTHER: 000

Card. 2/2

GOLIROVSKIY, S.D.

Cand Med Sci

Dessertation: "Presacral Novocaine Block."

10 May 49

Central Inst for the Advanced Training of Physcians

SO Vecheryaya Moskva  
Sum 71

GOLISAYEV, L.A.

[Tomatoes in southern Yakutia] Pomidory v Yuzhnoi Yakutii.  
IAkutsk, Knizhnoe izd-vo, 1959. 57 p. (MIRA 17:4)

1. Zaveduyushchiy op. zav. punktom "Yakutsk" nauchno-issledovatel'skogo instituta "Izvestiya" na Yakutii.



STUPAK, N.K.; GOLISMAN, G.Ya.

Reducing two dimensional magnetic and gravity anomalies to one  
level. Rasvel. i prom. goefiz., no.44.10. 110 (G). (MIRA 1572)  
(Gravity prospecting) (Magnetic prospecting)

GOLISHEV, G.I., POLOSKEV, S.M.

Rocket investigations in the Upper Atmosphere in the USSR

Report to be submitted for the 4th International Space Science Symposium  
(COSPAR) Warsaw, 2-12 June 63

British Abst.

A III

Aug. 1953

Biochemistry of Micro-Organisms,  
Including Fungi

(2)  
Effect of catalase on the oxidation of sorbitol by ketogenic micro-organisms. F. D. Mokkidi and M. G. Gokhaya. *Ukrainian Biochem. J.* 1953, 17, 91-96. *Acta Lact. microorganism* and *Acta Lact. microorganism* were grown on a medium containing 10% butyric acid and 10% sorbitol. Catalase activity was determined by the method of Fiske and Subbarow. The results showed that the rate of sorbitol oxidation was increased in the presence of catalase. The rate of sorbitol oxidation was also increased in the presence of catalase when the medium contained 10% butyric acid and 10% sorbitol. The results showed that the rate of sorbitol oxidation was increased in the presence of catalase when the medium contained 10% butyric acid and 10% sorbitol.

~~CONFIDENTIAL~~ ...

Information ...  
division.

Microbiology. Vol. 1, 1951.



GOLISKI, P.; VESELINOV, T.

Diagnostic value of the method of direct roentgenographic enlargement. Nauch.tr.vish.med.inst.Sofia 41 no.5:23-32 '63.

1. Iz kruzhoka po rentgenologii; nauchn.makroditel: dr.  
A. Zheliazkov.

001001, 100000, 0001 0000

1000 000000 0000 0000 0000 0000 0000 0000  
0000 0000 0000 0000 0000 0000 0000 0000

**"APPROVED FOR RELEASE: 09/24/2001**

**CIA-RDP86-00513R000515720017-3**



**APPROVED FOR RELEASE: 09/24/2001**

**CIA-RDP86-00513R000515720017-3"**



CHOJECKA, Barbara; GOLISZEK, Janina; KURZEPA, Stanislaw; LESINSKI, Jan;  
SAMOJLIK, Eugeniusz

Studies on the level of urinary 5-hydroxyindolacetic acid in women with  
and without previous psychoprophylactic preparation in labor. Polski  
tygod. lek. 16 no.11:383-385 13 Mr '61.

1. Z Kliniki Ginekologiczno-Polozniczej; kierownik: prof. dr J. Lesinski  
i Zakladu Farmakologii; p.o. kierownik: dr St. Kurzepa, Instytutu Matki  
i Dziecka; dyrektor: prof. dr F. Groer.

(INDOLACETIC ACID urine) (LABOR urine)

GOLISZEK, Janina; FIJALKOWSKI, Wlodzimierz

Psycho-analgesia according to survey material, Gln.polska 32 no.1:  
15-23 '61.

1. Z III Kliniki Poloznictwa i Chorob Kobietych AM w Warszawie  
Kierownik: prof. dr med. J. Lesinski. Z II Kliniki Poloznictwa i  
Chorob Kobietych AM w Lodzi Kierownik: prof. dr med. S. Krzysztoporski.

(LABOR)

**SUMMARY**

CHODZKA, B. Dr., POLISAK, J. Dr., KURCZA, J. Dr., LUBINSKI, J. Dr.,  
LAWCZYK, E. Dr.: Obstetrical and Gynecological Clinic and Department  
for Pharmacological Research; Institute for Maternity and Infant Care  
(Instytut ds. Kobiety i Dziecka; Klinika ds. Gynakologicznych i Perinatologii; Anya  
ds. Gynakologicznego Interesu); Warsaw.

"5-Hydroxy-Indole-Acetic Acid Excretion of Maternity Patients: Unprepared  
and Prepared by Psychoprophylactic Methods."

Biuletyn, Orwoski Hetilap, Vol 103, No 46, 18 Nov 67, pages 2135-2137.

**Abstract:** [Authors' summary] Psychoprophylactic preparation, by its  
action on the central nervous system, resulted in a change in serotonin  
metabolism. It seemed that the excretion of 5-HIAA was proportional to  
the success of the psychoprophylactic preparation. First part of the study  
was no significant difference between the 5-HIAA values of the prepared  
and control patients. Determination of 5-HIAA excretion can be used for  
the evaluation of success of the psychoprophylactic preparation.

This paper is published as part of an exchange program, from the  
Polish Journal of Obstetrics and Gynecology.

1 of the references are Western, 2 are Eastern,  
1 is ...

MIERNOWSKI, Stanislaw; LEWICKI, Zdzislaw; GOLISZEK, Zbigniew

Difficulties in the evaluation of angiographic studies in a case of tendinous fibrosarcoma. Polski przegl. radiol. 25 no.6:539-548 '61.

1. Z Zakladu Radiologii Lekarskiej Kierownik: prof. dr nauk. med.  
W. Zawadowski z Zakladu Anatomii Patologicznej p.o. Kierownik: doc. dr  
med. R. Walentynowicz-Stanczyk z I Kliniki Chirurgicznej Kierownik:  
doc. dr med. J. Nielubowicz.

(FIBROSARCOMA radiog) (ANGIOGRAPHY) (TENDONS neopl)

GOLISZEK-KUCHARSKA, Janina; TELKO, Mirosław

Use of curare in gynecological surgery. Gin. polska 26 no.3:  
281-285 May-June 57.

1. Z III Kliniki Położnictwa i Chorob Kobietych A.M. w Warszawie  
Kierownik: prof. dr. J. Lesinski. Adres autora: Warszawa,  
Madalińskiego 25.

(GENITALIA, FEMALE, surg.

use of curare, admin. & contraindic. (Pol))

(CURARE

use in gynecol. surg., admin. & contraindic. (Pol))

GOLISZKESKI, JERZY.

Naukowe, Poland. 1956. p. 556. Technika sanitarna. Wyd. 3., uzup. Poznan,  
Panstwowe Wydawn.

Monthly list of East European Accessions Index (EEAI), LC, Vol. 3, no. 6, June 1959  
June 1959  
uncla.

Wladyslaw, J.

problems of the protection of surface waters in Poland. . . .

W., 1971, 1972, 1973, 1974 (J. Wladyslaw, a member of the Polish Academy of Sciences, Technical University, Warszawa, Poland) Warszawa, Poland  
Vol. 33, no. 5, May 1975

Monthly List of East European Accessions (MEL) LC, Vol. 2, no. 2, October 1969  
incl.

GOLISZEWSKI, Jerzy, mgr., inż.

The present state of surface water pollution in Poland. Gosp wodna 21  
no.10:430-435 0 '61.



GOLISZEWSKI, Jerzy, mgr., inż.; MICHNIEWICZ, Marian, mgr., inż.; RYLL, Jerzy,  
mgr., inż.

Sewage purification of the Capital City of Warsaw. Gosp. wodna 21 no.10:  
457-461 0 '61.

GOLISZEWSKI, Jerzy, mgr inż.

Problem of purifying the sewage of the city of Warsaw and the  
complex economic utilization of the waters of the Vistula River.  
Gaz woda techn sanit 10:10-12 0 '63.

1. Stolica Design Office of Communal Constructions, Warsaw.

—  
POLAND


GOLISZEWSKI, Kazimierz, Wojewodzтво Department of Hygiene and  
Hygiene (Wojewodzki Zaklad Higieny Weterynaryjnej, Katowice)  
wice (Director: Prof. Dr. Jerzy SZAFLANSKI)

"Location of Bovine Trichomonas in the Urogenital Tract  
of Bulls."

Warsaw-Lublin, Medycyna Weterynaryjna, Vol. 20, No. 7, Jul 67,  
p. 395

Abstract: Culture determinations from various parts of the  
urogenital tract of infected bulls confirmed the fact that  
trichomonas may penetrate beyond the preputium. Determina-  
tion of the location of the parasite is important to the  
selection of treatment procedure. Article shows one dia-  
gram and one table. There are 10 references: 3 each Polish  
and Western, 1 German, and 2 Soviet.

1/1



VARENIK, M.A., inzh.; GOLITENKO, M.M., inzh.

Parachute unit for hoisting with friction pulleys. Bezop. truda  
v prom. 3 no.6:28-29 Je '59. (MIRA 12:10)  
(Mine hoisting)

NAUMOV, Georgiy Karpovich, kand. ekon. nauk; KONAPEV, Nikolay  
Semenovich, inzh.; SILAYEV, Nikolay Ivanovich, kand. ekon.  
nauk dots.; FERAPONTOV, Gennadiy Viktorovich, inzh.;  
CHERNUKHA, Nikolay Timofeyevich, inzh.; GOLITSEN, Boris  
Vasil'yevich, inzh.; KRIMMUS, Grigoriy Kharitonovich, kand.  
ekon. nauk, dots.; KOLJUNOVA, M.P., red.

[Economics of railroad freight transportation. Ekonomika gra-  
zovogo khoziaistva zheleznnykh dorog. Moskva, Transport,  
1965. 238 p. (MIRA 18:12)]

GOLITSIN, M.F.; KOMANEROV, M.K.

Replacing metal lining of the elevator shaft with wood-lined sections. Sbor. rats. predl. vnedr. v proizvod. no.2:17 '61.

(MIRA 14:7)

1. Nizhne-Tagil'skiy metallurgicheskiy kombinat, Vysokogorskoye rudoupravleniye.

(Elevators—Maintenance and repair)

GOLITSIN, S.V.

Forest coverage of the Central Chernozem region. Biol. MCIP. Otd. b/p1.  
68 no.2:130-133 Mr-Apr '63. (MIRA 17:2)



ACCESSION NR: AP4042337

S/0138/64/000/007/0007/0010

AUTHOR: Rumyantseva, Z. M., Golitsina, A. A., Farberov, M. A., Epshteyn, V. G., Lazaryants, E. G., Yemel'yanov, D. P., Kosmodem'yanskiy, L. V.

TITLE: Synthesis and use of butadiene methacrolein latexes

SOURCE: Kauchuk i rezina, no. 7, 1964, 7-19

TOPIC TAGS: tire manufacture, tire cord saturation compound, saturated cord bond strength, latex containing saturation compound, latex SKMA-2, butadiene methacrolein latex, aldehyde group content, polymerization process, latex synthesis, rubber SKS-30 AM, rubber NK, synthetic rubber, SBR rubber

ABSTRACT: Latexes were synthesized by copolymerization of butadiene and methacrolein at 5C in acid (pH 2.5-3.0) and alkaline (pH 10.0-10.5) media, with methacrolein in the initial emulsion varying from 1 to 30 parts by weight (recipes given). Conversion levels of 70% were attained and the kinetics of the process are described in detail. Compounds of the synthesized latexes with resorcinol-formaldehyde (RF) or glycol-resorcinol formaldehyde (FR-12) resins (12 parts by weight of resin per 100 parts of polymer) were used to saturate tire cords. The cords were then tested by multiple deformation, static peeling and N methods for the strength of their bond to resins from NK, SKB and SKS-30

Card 1/2

ACCESSION NR: AP4042337

AM rubbers. It was found that bond strength depends on the content of aldehyde groups in the latex and was best for a monomer mixture with 20% methacrolein by weight. Polymerization at 5C, a conversion level of 70%, Defo hardness levels of 1500 to 3000 g and the use of a rosin soap as an emulsifier promoted bond strength. Comparative evaluation of the synthesized latex, named SKMA-3, indicated it to be superior in bond strength over compounds based on carboxyl containing and vinyl pyridine latexes. Orig. art. has: 4 tables and 2 graphs.

ASSOCIATION: Nauchno-issledovatel'skiy institut monomerov dlya sinteticheskogo kauchuka (Scientific Research Institute for Synthetic Rubber Monomers); Yaroslavskiy tekhnologicheskiiy institut (Yaroslav Technological Institute); Yaroslavskiy shimny'y zavod (Yaroslav Tire Factory)

SUBMITTED: 00

ENCL: 00

SUB CODE: MT

NO REF SOV: 010

OTHER: 003

Card 2/2

GOLITSINA, L.P. (Kazan')

Acute infectious psychoses in forensic psychiatric practice.  
Prak.Sudebnopsikh.ekspert. no.5:21-28 '61. (MIRA 16:4)  
(PSYCHOSES) (FORENSIC PSYCHIATRY)

GOLITSINSKIY, D.A.

[Ivan Vladimirovich Michurin, his life and activities] Ivan Vladimirovich Michurin, ego zhizn' i deiatel'nost'. Gorki, Izd. Belorusskoi sel'khoz. akademii, 1950. 34 p. (MIRA 14:8)  
(Michurin, Ivan Vladimirovich, 1855-1935)